ELSEVIER

Hearing Research 110 (1997) 274–275

HEARING RESEARCH

Author Index Volume 110

Aran, J.-M., see Charlet de Sauvage, R. (110) 119
Atoji, Y., Yamamoto, Y., Suzuki, Y., Matsui, F. and Oohira, A.
Immunohistochemical localization of neurocan in the lower auditory nuclei of the dog (110) 200

Backoff, P.M., Shadduck Palombi, P. and Caspary, D.M.
Glycinergic and GABAergic inputs affect short-term suppression in the cochlear nucleus (110) 155
Bobbin, R.P., see Chen, C. (110) 87
Bobbin, R.P., see Nenov, A.P. (110) 77
Burkard, R., and Palmer, A.R.
Responses of chopper units in the ventral cochlear nucleus of the anaesthetised guinea pig to clicks-in-noise and click trains (110) 234
Bykhovskaya, Y., see Fischel-Ghodsian, N. (110) 147

Cantor, R., see Fischel-Ghodsian, N. (110) 147
Caspary, D.M., see Backoff, P.M. (110) 155
Charlet de Sauvage, R., Lima da Costa, D., Erre, J.-P. and Aran, J.-M.
Electrical and physiological changes during short-term and chronic electrical stimulation of the normal cochlea (110) 119
Chen, L., see Trautwein, P.G. (110) 266
Chen, C., LeBlanc, C. and Bobbin, R.P.
Differences in the distribution of responses to ATP and acetylcholine between outer hair cells of rat and guinea pig (110) 87
Chen, C.,
Hyperpolarization-activated current (I_h) in primary auditory neurons (110) 179

Dolphin, W.F.,
The envelope following response to multiple tone pair stimuli (110) 1

Ehrenman, K., see Fischel-Ghodsian, N. (110) 147
Erre, J.-P., see Charlet de Sauvage, R. (110) 119

Fallon, M., see Nenov, A.P. (110) 77
Ferrary, E., see Laurell, G. (110) 135
Fischel-Ghodsian, N., Bykhovskaya, Y., Taylor, K., Kahen, T., Cantor, R., Ehrenman, K., Smith, R. and Keithley, E.
Temporal bone analysis of patients with presbycusis reveals high frequency of mitochondrial mutations (110) 147

Gerzer, R., see Krause, G. (110) 95

Harel, N., Kakigi, A., Hirakawa, H., Mount, R.J. and Harrison, R.V.
The effects of anesthesia on otoacoustic emissions (110) 25
Harrison, R.V., Mount, R.J. and Hirakawa, H.
Total ablation of cochlear haircells by perilymphatic perfusion with water (110) 229
Harrison, R.V., see Harel, N. (110) 25
Harrison, R.V., see Kakigi, A. (110) 34
Hartmann, R., see Heid, S. (110) 191
Heid, S., Jähn-Siebert, T.K., Klinke, R., Hartmann, R. and Langner, G.
Afferent projection patterns in the auditory brainstem in normal and congenitally deaf white cats (110) 191
Henderson, D., see Hua Hu, B. (110) 209
Hertig, L., see Szymko, Y.M. (110) 164
Hirakawa, H., see Harel, N. (110) 25
Hirakawa, H., see Harrison, R.V. (110) 229
Hirakawa, H., see Kakigi, A. (110) 34
Horikawa, J., see Tanahashi, A. (110) 219
Hua Hu, B., and Henderson, D.
Changes in F-actin labeling in the outer hair cell and the Deiters cell in the chinchilla cochlea following noise exposure (110) 209

Jähn-Siebert, T.K., see Heid, S. (110) 191

Kachar, B., see Kalinec, F. (110) 141
Kahen, T., see Fischel-Ghodsian, N. (110) 147
Kakigi, A., see Harel, N. (110) 25
Kakigi, A., Hirakawa, H., Mount, R.J. and Harrison, R.V.
The effects of crossed olivocochlear bundle section on transient evoked otoacoustic emissions (110) 34
Kalinec, G., see Kalinec, F. (110) 141
Kalinec, F., Kalinec, G., Negrini, C. and Kachar, B.
Immunolocalization of anion exchanger 2α in auditory sensory hair cells (110) 141
Keithley, E., see Fischel-Ghodsian, N. (110) 147
Klinke, R., see Heid, S. (110) 191
Krause, G., Meyer zum Gottesberge, A.M., Wolfram, G. and Gerzer, R.
Transcripts encoding three types of guanylyl-cyclase-coupled transmembrane receptors in inner ear tissues of guinea pigs (110) 95

Langner, G., see Heid, S. (110) 191
Laurell, G., Teixeira, M., Sterkers, O. and Ferrary, E.
Paracellular transport properties of inner ear barriers do not account for cisplatin toxicity in the rat (110) 135
LeBlanc, C., see Chen, C. (110) 87
Lima da Costa, D., see Charlet de Sauvage, R. (110) 119

Manley, G.A., see Taschenberger, G. (110) 61
Matsui, F., see Atoji, Y. (110) 200
McCormick, C.A.,
Organization and connections of octaval and lateral line centers in the medulla of a clupeid, *Dorosoma cepedianum* (110) 39
Meyer zum Gottesberge, A.M., see Krause, G. (110) 95
Mount, R.J., see Harel, N. (110) 25
Mount, R.J., see Harrison, R.V. (110) 229
Mount, R.J., see Kakigi, A. (110) 34

Negrini, C., see Kalinec, F. (110) 141

ELSEVIER

Hearing Research 110 (1997) 274–275

HEARING RESEARCH

Author Index Volume 110

Aran, J.-M., see Charlet de Sauvage, R. (110) 119
Atoji, Y., Yamamoto, Y., Suzuki, Y., Matsui, F. and Oohira, A.
Immunohistochemical localization of neurocan in the lower auditory nuclei of the dog (110) 200

Backoff, P.M., Shadduck Palombi, P. and Caspary, D.M.
Glycinergic and GABAergic inputs affect short-term suppression in the cochlear nucleus (110) 155
Bobbin, R.P., see Chen, C. (110) 87
Bobbin, R.P., see Nenov, A.P. (110) 77
Burkard, R., and Palmer, A.R.
Responses of chopper units in the ventral cochlear nucleus of the anaesthetised guinea pig to clicks-in-noise and click trains (110) 234
Bykhovskaya, Y., see Fischel-Ghodsian, N. (110) 147

Cantor, R., see Fischel-Ghodsian, N. (110) 147
Caspary, D.M., see Backoff, P.M. (110) 155
Charlet de Sauvage, R., Lima da Costa, D., Erre, J.-P. and Aran, J.-M.
Electrical and physiological changes during short-term and chronic electrical stimulation of the normal cochlea (110) 119
Chen, L., see Trautwein, P.G. (110) 266
Chen, C., LeBlanc, C. and Bobbin, R.P.
Differences in the distribution of responses to ATP and acetylcholine between outer hair cells of rat and guinea pig (110) 87
Chen, C.,
Hyperpolarization-activated current (I_h) in primary auditory neurons (110) 179

Dolphin, W.F.,
The envelope following response to multiple tone pair stimuli (110) 1

Ehrenman, K., see Fischel-Ghodsian, N. (110) 147
Erre, J.-P., see Charlet de Sauvage, R. (110) 119

Fallon, M., see Nenov, A.P. (110) 77
Ferrary, E., see Laurell, G. (110) 135
Fischel-Ghodsian, N., Bykhovskaya, Y., Taylor, K., Kahen, T., Cantor, R., Ehrenman, K., Smith, R. and Keithley, E.
Temporal bone analysis of patients with presbycusis reveals high frequency of mitochondrial mutations (110) 147

Gerzer, R., see Krause, G. (110) 95

Harel, N., Kakigi, A., Hirakawa, H., Mount, R.J. and Harrison, R.V.
The effects of anesthesia on otoacoustic emissions (110) 25
Harrison, R.V., Mount, R.J. and Hirakawa, H.
Total ablation of cochlear haircells by perilymphatic perfusion with water (110) 229
Harrison, R.V., see Harel, N. (110) 25
Harrison, R.V., see Kakigi, A. (110) 34
Hartmann, R., see Heid, S. (110) 191
Heid, S., Jähn-Siebert, T.K., Klinke, R., Hartmann, R. and Langner, G.
Afferent projection patterns in the auditory brainstem in normal and congenitally deaf white cats (110) 191
Henderson, D., see Hua Hu, B. (110) 209
Hertig, L., see Szymko, Y.M. (110) 164
Hirakawa, H., see Harel, N. (110) 25
Hirakawa, H., see Harrison, R.V. (110) 229
Hirakawa, H., see Kakigi, A. (110) 34
Horikawa, J., see Tanahashi, A. (110) 219
Hua Hu, B., and Henderson, D.
Changes in F-actin labeling in the outer hair cell and the Deiters cell in the chinchilla cochlea following noise exposure (110) 209

Jähn-Siebert, T.K., see Heid, S. (110) 191

Kachar, B., see Kalinec, F. (110) 141
Kahen, T., see Fischel-Ghodsian, N. (110) 147
Kakigi, A., see Harel, N. (110) 25
Kakigi, A., Hirakawa, H., Mount, R.J. and Harrison, R.V.
The effects of crossed olivocochlear bundle section on transient evoked otoacoustic emissions (110) 34
Kalinec, G., see Kalinec, F. (110) 141
Kalinec, F., Kalinec, G., Negrini, C. and Kachar, B.
Immunolocalization of anion exchanger 2α in auditory sensory hair cells (110) 141
Keithley, E., see Fischel-Ghodsian, N. (110) 147
Klinke, R., see Heid, S. (110) 191
Krause, G., Meyer zum Gottesberge, A.M., Wolfram, G. and Gerzer, R.
Transcripts encoding three types of guanylyl-cyclase-coupled transmembrane receptors in inner ear tissues of guinea pigs (110) 95

Langner, G., see Heid, S. (110) 191
Laurell, G., Teixeira, M., Sterkers, O. and Ferrary, E.
Paracellular transport properties of inner ear barriers do not account for cisplatin toxicity in the rat (110) 135
LeBlanc, C., see Chen, C. (110) 87
Lima da Costa, D., see Charlet de Sauvage, R. (110) 119

Manley, G.A., see Taschenberger, G. (110) 61
Matsui, F., see Atoji, Y. (110) 200
McCormick, C.A.,
Organization and connections of octaval and lateral line centers in the medulla of a clupeid, *Dorosoma cepedianum* (110) 39
Meyer zum Gottesberge, A.M., see Krause, G. (110) 95
Mount, R.J., see Harel, N. (110) 25
Mount, R.J., see Harrison, R.V. (110) 229
Mount, R.J., see Kakigi, A. (110) 34

Negrini, C., see Kalinec, F. (110) 141

Nenov, A.P., Skellett, R.A., Fallon, M. and Bobbin, R.P.
Nitrosoglutathione suppresses cochlear potentials and DPOAEs but not outer hair cell currents or voltage-dependent capacitance (110) 77

Oohira, A., see Atoji, Y. (110) 200

Palmer, A.R., see Burkard, R. (110) 234
Polyakov, A., see Shi, Y. (110) 259
Pratt, H., see Shi, Y. (110) 259
Puschner, B., and Schacht, J.
Calmodulin-dependent protein kinases mediate calcium-induced slow motility of mammalian outer hair cells (110) 251

Salvi, R.J., see Trautwein, P.G. (110) 266
Santi, P., see Tsuprun, V. (110) 107
Schacht, J., see Puschner, B. (110) 251
Shadduck Palombi, P., see Backoff, P.M. (110) 155
Shi, Y., Polyakov, A. and Pratt, H.
Effects of interaural intensity and time disparity on transient evoked otoacoustic emissions (110) 259
Shofner, W.P., and Yost, W.A.
Discrimination of rippled-spectrum noise from flat-spectrum noise by chinchillas: evidence for a spectral dominance region (110) 15
Skellett, R.A., see Nenov, A.P. (110) 77
Smith, R., see Fischel-Ghodsian, N. (110) 147
Sterkers, O., see Laurell, G. (110) 135
Suga, N., see Tanahashi, A. (110) 219
Suzuki, Y., see Atoji, Y. (110) 200
Szymko, Y.M., Zwislocki, J.J. and Hertig, L.
Enhanced cochlear responses after sound exposure (110) 164

Tanahashi, A., Horikawa, J. and Suga, N.
NMDA-mediated facilitation in the echo-delay tuned areas of the auditory cortex of the mustached bat (110) 219
Taschenberger, G., and Manley, G.A.
Spontaneous otoacoustic emissions in the barn owl (110) 61
Taylor, K., see Fischel-Ghodsian, N. (110) 147
Teixeira, M., see Laurell, G. (110) 135
Trautwein, P.G., Chen, L. and Salvi, R.J.
Steady state EP is not responsible for hearing loss in adult chickens following acoustic trauma (110) 266
Tsuprun, V., and Santi, P.
Ultrastructural organization of proteoglycans and fibrillar matrix of the tectorial membrane (110) 107

Wolfram, G., see Krause, G. (110) 95

Yamamoto, Y., see Atoji, Y. (110) 200
Yost, W.A., see Shofner, W.P. (110) 15

Zwislocki, J.J., see Szymko, Y.M. (110) 164

ELSEVIER

Hearing Research 110 (1997) 276–279

HEARING RESEARCH

Subject Index Volume 110

Acoustic trauma
Chicken; Tegmentum vasculosum; Endocochlear potential (Trautwein, P.G. (110) 266)

Active feedback
Enhancement; Hensen's cell; Sound exposure; Cochlear mechanics (Szymko, Y.M. (110) 164)

Adenosine triphosphate
Outer hair cells; Motility; Protein phosphorylation; Calcium; Calmodulin (Puschner, B. (110) 251)

Aging
Presbycusis; Mitochondrial DNA; Mutations; Archival temporal bones; Cochlea (Fischel-Ghodsian, N. (110) 147)

D-2-Amino-5-phosphonovalerate
Auditory cortex; Facilitation; Mustached bat; *N*-methyl-D-aspartate; Ranging (Tanahashi, A. (110) 219)

Amplitude modulation
Envelope following response; Steady-state auditory evoked potential; Gerbil (Dolphin, W.F. (110) 1)

Anesthesia
Otoacoustic emissions; Descending auditory pathway; Cochlear efferents; Auditory system; Chinchilla; Outer hair cells (Harel, N. (110) 25)

Anion exchanger proteins
Hair cells; Outer hair cells; Auditory sensory transduction; Organ of Corti (Kalinec, F. (110) 141)

Archival temporal bones
Presbycusis; Mitochondrial DNA; Mutations; Cochlea; Aging (Fischel-Ghodsian, N. (110) 147)

Atrial natriuretic factor
Cyclic GMP; Heat-stable enterotoxin; Polymerase chain reaction; Gene expression (Krause, G. (110) 95)

Auditory afferent projection
Cochlear implant; Congenital deafness; Inferior colliculus; Cat (Heid, S. (110) 191)

Auditory cortex
D-2-Amino-5-phosphonovalerate; Facilitation; Mustached bat; *N*-methyl-D-aspartate; Ranging (Tanahashi, A. (110) 219)

Auditory evolution
Hearing; Inner ear projection; Utricle; Lateral line projection; Clupeid; Teleost fish (McCormick, C.A. (110) 39)

Auditory sensory transduction
Hair cells; Outer hair cells; Anion exchanger proteins; Organ of Corti (Kalinec, F. (110) 141)

Auditory system
Otoacoustic emissions; Descending auditory pathway; Anesthesia; Cochlear efferents; Chinchilla; Outer hair cells (Harel, N. (110) 25)

Auditory tract
Neurocan; Cell membrane; Axon terminal; Neuron; Ultrastructure (Atoji, Y. (110) 200)

Axon terminal
Neurocan; Cell membrane; Neuron; Auditory tract; Ultrastructure (Atoji, Y. (110) 200)

Barn owl
SOAE; Otoacoustic emissions; Frequency tuning; Suppression; Bird (Taschenberger, G. (110) 61)

Bird
SOAE; Otoacoustic emissions; Frequency tuning; Suppression; Barn owl (Taschenberger, G. (110) 61)

Blood pressure
In vivo; Plasma; Inner ear fluids; Radioactive mannitol (Laurell, G. (110) 135)

Calcium
Outer hair cells; Motility; Protein phosphorylation; Calmodulin; Adenosine triphosphate (Puschner, B. (110) 251)

Calmodulin
Outer hair cells; Motility; Protein phosphorylation; Calcium; Adenosine triphosphate (Puschner, B. (110) 251)

Cat
Cochlear implant; Congenital deafness; Auditory afferent projection; Inferior colliculus (Heid, S. (110) 191)

Cell membrane
Neurocan; Axon terminal; Neuron; Auditory tract; Ultrastructure (Atoji, Y. (110) 200)

Charge balance
Electrical stimulation; VIIIth nerve action potential; Electrode impedance (Charlet de Sauvage, R. (110) 119)

Chicken
Acoustic trauma; Tegmentum vasculosum; Endocochlear potential (Trautwein, P.G. (110) 266)

Chinchilla
Otoacoustic emissions; Descending auditory pathway; Anesthesia; Cochlear efferents; Auditory system; Outer hair cells (Harel, N. (110) 25)

Transient evoked otoacoustic emission; Olivocochlear bundle; Cochlear efferents (Kakigi, A. (110) 34)

Rippled noise; Pitch; Dominance region (Shofner, W.P. (110) 15)

Organ of Corti; F-actin; Toughening; DPOAEs (Hua Hu, B. (110) 209)

Cochlear nucleus; Forward-masking; GABA; Glycine; Iontophoresis (Backoff, P.M. (110) 155)

Chopper
Click; Ventral cochlear nucleus; Maximum length sequences (Burkard, R. (110) 234)

Click
Ventral cochlear nucleus; Chopper; Maximum length sequences (Burkard, R. (110) 234)

Transient evoked otoacoustic emission; Contralateral suppression; Interaural disparity; Efferent system; Human (Shi, Y. (110) 259)

Clupeid
Hearing; Inner ear projection; Utricle; Lateral line projection; Auditory evolution; Teleost fish (McCormick, C.A. (110) 39)

Cochlea
Receptor; Ion channel; Voltage-clamp (Chen, C. (110) 87)

Presbycusis; Mitochondrial DNA; Mutations; Archival temporal bones; Aging (Fischel-Ghodsian, N. (110) 147)

Deafferentation; Unilateral hearing loss (Harrison, R.V. (110) 229)

Cochlear efferents
Otoacoustic emissions; Descending auditory pathway; Anesthesia; Auditory system; Chinchilla; Outer hair cells (Harel, N. (110) 25)

Transient evoked otoacoustic emission; Olivocochlear bundle; Chinchilla (Kakigi, A. (110) 34)

Cochlear implant
Congenital deafness; Auditory afferent projection; Inferior colliculus; Cat (Heid, S. (110) 191)

Cochlear mechanics
Enhancement; Hensen's cell; Sound exposure; Active feedback (Szymko, Y.M. (110) 164)

Cochlear nucleus
Chinchilla; Forward-masking; GABA; Glycine; Iontophoresis (Backoff, P.M. (110) 155)

Collagen
Proteoglycan; Thin fibril; Tectorial membrane; Transmission electron microscopy (Tsuprun, V. (110) 107)

Congenital deafness
Cochlear implant; Auditory afferent projection; Inferior colliculus; Cat (Heid, S. (110) 191)

Contralateral suppression
Transient evoked otoacoustic emission; Interaural disparity; Efferent system; Human; Click (Shi, Y. (110) 259)

Current-clamp
Hyperpolarization-activated current; Inward rectifying channel; Voltage-clamp; Primary auditory nerve; Spiral ganglion neuron (Chen, C. (110) 179)

Cyclic GMP
Heat-stable enterotoxin; Atrial natriuretic factor; Polymerase chain reaction; Gene expression (Krause, G. (110) 95)

Deafferentation
Cochlear deafness; Unilateral hearing loss (Harrison, R.V. (110) 229)

Descending auditory pathway
Otoacoustic emissions; Anesthesia; Cochlear efferents; Auditory system; Chinchilla; Outer hair cells (Harel, N. (110) 25)

Dominance region
Rippled noise; Chinchilla; Pitch (Shofner, W.P. (110) 15)

DPOAEs
Organ of Corti; Chinchilla; F-actin; Toughening (Hua Hu, B. (110) 209)

Efferent system
Transient evoked otoacoustic emission; Contralateral suppression; Interaural disparity; Human; Click (Shi, Y. (110) 259)

Electrical stimulation
Charge balance; VIIIth nerve action potential; Electrode impedance (Charlet de Sauvage, R. (110) 119)

Electrode impedance
Electrical stimulation; Charge balance; VIIIth nerve action potential (Charlet de Sauvage, R. (110) 119)

Endocochlear potential
Acoustic trauma; Chicken; Tegmentum vasculosum (Trautwein, P.G. (110) 266)

Enhancement
Hensen's cell; Sound exposure; Active feedback; Cochlear mechanics (Szymko, Y.M. (110) 164)

Envelope following response
Amplitude modulation; Steady-state auditory evoked potential; Gerbil (Dolphin, W.F. (110) 1)

F-actin
Organ of Corti; Chinchilla; Toughening; DPOAEs (Hua Hu, B. (110) 209)

Facilitation
Auditory cortex; D-2-Amino-5-phosphonovalerate; Mustached bat; *N*-methyl-D-aspartate; Ranging (Tanahashi, A. (110) 219)

Forward-masking
Chinchilla; Cochlear nucleus; GABA; Glycine; Iontophoresis (Backoff, P.M. (110) 155)

Frequency tuning
SOAE; Otoacoustic emissions; Suppression; Barn owl; Bird (Taschenberger, G. (110) 61)

GABA
Chinchilla; Cochlear nucleus; Forward-masking; Glycine; Iontophoresis (Backoff, P.M. (110) 155)

Gene expression
Cyclic GMP; Heat-stable enterotoxin; Atrial natriuretic factor; Polymerase chain reaction (Krause, G. (110) 95)

Gerbil
Amplitude modulation; Envelope following response; Steady-state auditory evoked potential (Dolphin, W.F. (110) 1)

Glutathione
Nitric oxide; Voltage-clamp (Nenov, A.P. (110) 77)

Glycine
Chinchilla; Cochlear nucleus; Forward-masking; GABA; Iontophoresis (Backoff, P.M. (110) 155)

Hair cells
Outer hair cells; Anion exchanger proteins; Auditory sensory transduction; Organ of Corti (Kalinec, F. (110) 141)

Hearing
Inner ear projection; Utricle; Lateral line projection; Clupeid; Auditory evolution; Teleost fish (McCormick, C.A. (110) 39)

Heat-stable enterotoxin
Cyclic GMP; Atrial natriuretic factor; Polymerase chain reaction; Gene expression (Krause, G. (110) 95)

Hensen's cell
Enhancement; Sound exposure; Active feedback; Cochlear mechanics (Szymko, Y.M. (110) 164)

Human
Transient evoked otoacoustic emission; Contralateral suppression; Interaural disparity; Efferent system; Click (Shi, Y. (110) 259)

Hyperpolarization-activated current
Inward rectifying channel; Voltage-clamp; Current-clamp; Primary auditory nerve; Spiral ganglion neuron (Chen, C. (110) 179)

In vivo
Plasma; Inner ear fluids; Radioactive mannitol; Blood pressure (Laurell, G. (110) 135)

Inferior colliculus
Cochlear implant; Congenital deafness; Auditory afferent projection; Cat (Heid, S. (110) 191)

Inner ear fluids
In vivo; Plasma; Radioactive mannitol; Blood pressure (Laurell, G. (110) 135)

Inner ear projection
Hearing; Utricle; Lateral line projection; Clupeid; Auditory evolution; Teleost fish (McCormick, C.A. (110) 39)

Interaural disparity
Transient evoked otoacoustic emission; Contralateral suppression; Efferent system; Human; Click (Shi, Y. (110) 259)

Inward rectifying channel
Hyperpolarization-activated current; Voltage-clamp; Current-clamp; Primary auditory nerve; Spiral ganglion neuron (Chen, C. (110) 179)

Ion channel
Receptor; Cochlea; Voltage-clamp (Chen, C. (110) 87)

Iontophoresis
Chinchilla; Cochlear nucleus; Forward-masking; GABA; Glycine (Backoff, P.M. (110) 155)

Lateral line projection
Hearing; Inner ear projection; Utricle; Clupeid; Auditory evolution; Teleost fish (McCormick, C.A. (110) 39)

Maximum length sequences
Click; Ventral cochlear nucleus; Chopper (Burkard, R. (110) 234)

***N*-Methyl-D-aspartate**
Auditory cortex; D-2-Amino-5-phosphonovalerate; Facilitation; Mustached bat; Ranging (Tanahashi, A. (110) 219)

Mitochondrial DNA
Presbycusis; Mutations; Archival temporal bones; Cochlea; Aging (Fischel-Ghodsian, N. (110) 147)

Motility
Outer hair cells; Protein phosphorylation; Calcium; Calmodulin; Adenosine triphosphate (Puschner, B. (110) 251)

Mustached bat
Auditory cortex; D-2-Amino-5-phosphonovalerate; Facilitation; *N*-methyl-D-aspartate; Ranging (Tanahashi, A. (110) 219)

Mutations
Presbycusis; Mitochondrial DNA; Archival temporal bones; Cochlea; Aging (Fischel-Ghodsian, N. (110) 147)

Neurocan
Cell membrane; Axon terminal; Neuron; Auditory tract; Ultrastructure (Atoji, Y. (110) 200)

Neuron
Neurocan; Cell membrane; Axon terminal; Auditory tract; Ultrastructure (Atoji, Y. (110) 200)

Nitric oxide
Glutathione; Voltage-clamp (Nenov, A.P. (110) 77)

Olivocochlear bundle
Transient evoked otoacoustic emission; Chinchilla; Cochlear efferents (Kakigi, A. (110) 34)

Organ of Corti
Chinchilla; F-actin; Toughening; DPOAEs (Hua Hu, B. (110) 209)

Hair cells; Outer hair cells; Anion exchanger proteins; Auditory sensory transduction (Kalinec, F. (110) 141)

Otoacoustic emissions
Descending auditory pathway; Anesthesia; Cochlear efferents; Auditory system; Chinchilla; Outer hair cells (Harel, N. (110) 25)

SOAE; Frequency tuning; Suppression; Barn owl; Bird (Taschenberger, G. (110) 61)

Outer hair cells
Otoacoustic emissions; Descending auditory pathway; Anesthesia; Cochlear efferents; Auditory system; Chinchilla (Harel, N. (110) 25)

Hair cells; Anion exchanger proteins; Auditory sensory transduction; Organ of Corti (Kalinec, F. (110) 141)

Motility; Protein phosphorylation; Calcium; Calmodulin; Adenosine triphosphate (Puschner, B. (110) 251)

Pitch
Rippled noise; Chinchilla; Dominance region (Shofner, W.P. (110) 15)

Plasma
In vivo; Inner ear fluids; Radioactive mannitol; Blood pressure (Laurell, G. (110) 135)

Polymerase chain reaction
Cyclic GMP; Heat-stable enterotoxin; Atrial natriuretic factor; Gene expression (Krause, G. (110) 95)

Presbycusis
Mitochondrial DNA; Mutations; Archival temporal bones; Cochlea; Aging (Fischel-Ghodsian, N. (110) 147)

Primary auditory nerve
Hyperpolarization-activated current; Inward rectifying channel; Voltage-clamp; Current-clamp; Spiral ganglion neuron (Chen, C. (110) 179)

Protein phosphorylation
Outer hair cells; Motility; Calcium; Calmodulin; Adenosine triphosphate (Puschner, B. (110) 251)

Proteoglycan
Collagen; Thin fibril; Tectorial membrane; Transmission electron microscopy (Tsuprun, V. (110) 107)

Radioactive mannitol
In vivo; Plasma; Inner ear fluids; Blood pressure (Laurell, G. (110) 135)

Ranging
Auditory cortex; D-2-Amino-5-phosphonovalerate; Facilitation; Mustached bat; *N*-methyl-D-aspartate (Tanahashi, A. (110) 219)

Receptor
Cochlea; Ion channel; Voltage-clamp (Chen, C. (110) 87)

Rippled noise
Chinchilla; Pitch; Dominance region (Shofner, W.P. (110) 15)

SOAE
Otoacoustic emissions; Frequency tuning; Suppression; Barn owl; Bird (Taschenberger, G. (110) 61)

Sound exposure
Enhancement; Hensen's cell; Active feedback; Cochlear mechanics (Szymko, Y.M. (110) 164)

Spiral ganglion neuron
Hyperpolarization-activated current; Inward rectifying channel; Voltage-clamp; Current-clamp; Primary auditory nerve (Chen, C. (110) 179)

Steady-state auditory evoked potential
Amplitude modulation; Envelope following response; Gerbil (Dolphin, W.F. (110) 1)

Suppression
SOAE; Otoacoustic emissions; Frequency tuning; Barn owl; Bird (Taschenberger, G. (110) 61)

Tectorial membrane
Collagen; Proteoglycan; Thin fibril; Transmission electron microscopy (Tsuprun, V. (110) 107)

Tegmentum vasculosum
Acoustic trauma; Chicken; Endocochlear potential (Trautwein, P.G. (110) 266)

Teleost fish
Hearing; Inner ear projection; Utricle; Lateral line projection; Clupeid; Auditory evolution (McCormick, C.A. (110) 39)

Thin fibril
Collagen; Proteoglycan; Tectorial membrane; Transmission electron microscopy (Tsuprun, V. (110) 107)

Toughening
Organ of Corti; Chinchilla; F-actin; DPOAEs (Hua Hu, B. (110) 209)

Transient evoked otoacoustic emission
Olivocochlear bundle; Chinchilla; Cochlear efferents (Kakigi, A. (110) 34)

Contralateral suppression; Interaural disparity; Efferent system; Human; Click (Shi, Y. (110) 259)

Transmission electron microscopy
Collagen; Proteoglycan; Thin fibril; Tectorial membrane (Tsuprun, V. (110) 107)

Ultrastructure
Neurocan; Cell membrane; Axon terminal; Neuron; Auditory tract (Atoji, Y. (110) 200)

Unilateral hearing loss
Cochlear deafness; Deafferentation (Harrison, R.V. (110) 229)

Utricle
Hearing; Inner ear projection; Lateral line projection; Clupeid; Auditory evolution; Teleost fish (McCormick, C.A. (110) 39)

Ventral cochlear nucleus
Click; Chopper; Maximum length sequences (Burkard, R. (110) 234)

VIIIth nerve action potential
Electrical stimulation; Charge balance; Electrode impedance (Charlet de Sauvage, R. (110) 119)

Voltage-clamp
Nitric oxide; Glutathione (Nenov, A.P. (110) 77)

Receptor; Cochlea; Ion channel (Chen, C. (110) 87)

Hyperpolarization-activated current; Inward rectifying channel; Current-clamp; Primary auditory nerve; Spiral ganglion neuron (Chen, C. (110) 179)